



EN280
EN3691-1

ELEVAH[®]

a brand of ***FARAOME[®]***



www.elevah.com

FOR US, SAFETY IS NOT JUST A DETAIL




Maximize safety
in your company

The Elevah is characterized
by the great attention paid
to each detail to increase the
safety of the operator.

INCREASE THE PROTECTION FACTOR


By minimizing the risk of accidents when working at height.



PREVENTION IS BETTER THAN CURE

Raise the level of prevention

Thanks to ergonomically designed workstations, the risk of accidents is significantly reduced. These allow the user to work without excessive effort and maintain the correct posture.



SAVE TIME, EFFORT AND MONEY




Increase the profitability of your business

By having machines that can be moved quickly, are easy to handle and are equipped according to the activities carried out at height (maintenance, inspection or picking).



14-16 m



ZP SERIES

ZP150

ZP200

9-12 m



PKS SERIES

PKS920

PKS1200

8 m



ELEVAH 65
MOVE PICKING



ELEVAH 65


MOVE

ES MOVE

7 m



ELEVAH 75 TIRES



ELEVAH 70

6.5 m

6 m

5 m

4 m



ELEVAH 65

MOVE

MOVE LIGHT

ES MOVE

TB



ELEVAH 5

MOVE

INOX

MOVE LIGHT

B


ES MOVE



ELEVAH 40


MOVE

B



ELEVAH 65

MOVE PICKING



ELEVAH 5

MOVE PICKING

T.FL

INOX

TIRES



ELEVAH 40

MOVE PICKING

B PICKING

T.FL

TIRES



ELEVAH[®]
a brand of *Farame[®]*



MAINTENANCE SERIE

Everything at hand. Compact, ergonomic and easy-to-use solutions for inspection and maintenance work.

ELEVAH 40 MOVE

The evolution of ladders, ideal for facility management.

SELF-PROPELLED ON THE GROUND

- Maximum working height : 4 m
- Maximum platform height : 2 m
- Weight: 280 kg
- Maximum capacity : 200 kg
- Length: 100 cm
- Width: 71.5 cm
- Turning radius : 0
- Electronic control display



Push around version Elevah 40B

ELEVAH E5 MOVE


The most compact platform

SELF-PROPELLED UP TO THE MAXIMUM HEIGHT

- Maximum working height : 5,15 m
- Maximum platform height : 3.15 m
- Maximum capacity : 200 kg (1 operator)
- Electronic tilt control system
- Length : 98 cm
- Width: 70 cm
- Turning radius : 0



Push around version Elevah 5B



TARADOME

ELEVAH E5 MOVE LIGHT

Easy to carry

SELF-PROPELLED UP TO THE MAXIMUM HEIGHT

- Maximum working height : 4.9 m
- Maximum platform height : 2.9 m
- Weight: 400 kg
- Maximum capacity : 200 kg
- Electronic tilt control system
- Length : 111 cm
- Width: 78 cm
- Turning radius : 0
- Additional work tray (OPTIONAL)




EN280



200 kg



Maximum
working
height
4.9 m



78 cm

111 cm

Kg
400

ELEVAH E5 ES MOVE

The compact platform with extendable basket



EN280



SELF-PROPELLED UP TO THE MAXIMUM HEIGHT

- Maximum working height : 4,9 m
- Maximum platform height : 2.9 m
- Maximum capacity : 150 kg (1 operator)
- Electronic tilt control system
- Length : 98 cm
- Width: 70 cm
- Turning radius : 0



ELEVAH[®] INOX

The stainless steel platform is ideal for all environments where hygiene and cleanliness are basic requirements, such as in the pharmaceutical and food industries.



FARAOME

ELEVAH 61

The first step to replace the ladder

PUSH AROUND



ELECTRICAL ADJUSTMENT



- Maximum working height with stabilizers: 6.1 m
- Maximum platform height with stabilizers: 4.8 m
- Max working height without stabilizers: 3.9 m
- Maximum platform height without stabilizers: 1.9 m
- Weight: 237 kg
- Maximum capacity: 200 kg (1 operator)
- Length with stabilizers: 129.7 cm
- Length without stabilizers: 118.7 cm



EN280



Max working
height 3.9 m
(without stabilizers)



Maximum
working
height 6.1 m
(with stabilizers)

Faraone

ELEVAH 65-80 ES MOVE

Best ratio between machine size and accessibility

SELF-PROPELLED UP TO THE MAXIMUM HEIGHT


- Maximum working height (without extension): 7.7 m
- Maximum platform height : 5.7 m
- Maximum capacity (without extension): 200 kg
- Extension of the basket: 105 cm at max 6.8 m
- Electronic tilt control system
- Length : 153 cm
- Width: 78 cm
- Turning radius : 0
- Manual extension of the basket



EN280



Maximum
working height
7.7 m



Taradme

ELEVAH 65 TB

270° rotating basket

SELF-PROPELLED UP TO THE MAXIMUM HEIGHT

- Maximum working height (without extension): 6-5 m
- Maximum platform height : 4.5 m
- Maximum capacity : 120 kg
- 270° rotating basket up to 5.8 m working height
- Electronic tilt control system
- Length : 128 cm
- Width: 78 cm
- Turning radius : 0
- Manually rotating basket



EN280



Maximum
working
height 6.5 m



Taradome

ELEVAH 70

Easy to move, compact and safe!



EN280



PUSH AROUND



ELECTRICAL ADJUSTMENT



- Maximum working height with stabilizers: 7.25 m
- Maximum platform height with stabilizers: 5.25 m
- Maximum working height without stabilizers: 6 m
- Maximum platform height without stabilizers: 4 m
- Weight: 430 kg
- Maximum capacity : 200 kg (1 operator)
- Length with stabilizers : 138 cm
- Length without stabilizers : 135 cm
- Width with stabilizers: 132 cm
- width without stabilizers : 78 cm

Maximum
working
height
7.25 m
(with stabilizers)

Maximum
working
height 6.5 m
(without stabilizers)

OPTIONAL

Customized color



Faraone

ELEVAH 65-80 MOVE

For sensitive floors and with weight limits

SELF-PROPELLED UP TO THE MAXIMUM HEIGHT

- Maximum working height:
 - 65M: 6.5 m
 - 80M: 7.75 m
- Weight:
 - 65 Move Light: 538 kg
 - 80 Move: 750 kg
- Maximum capacity : 200 kg
- Electronic tilt control system
- Length : 128 cm
- Width: 78 cm
- Turning radius : 0
- Portable commands



ELEVAH 65 MOVE LIGHT VERSION



TARADOME





EN3691-1



PICKING MACHINES

The widest range of material picking solutions.


Fast, ergonomic and above all safe storage from
4 m to 7.7 m working height!

ELEVAH 40 MOVE PICKING

The evolution of ladders

SELF-PROPELLED ON THE GROUND

- Maximum working height : 4 m
- Maximum platform height : 2 m
- Maximum capacity : 100kg + 100kg
- Platform size : 100 x 71.5 cm
- Turning radius : 0
- Foldable, electrically adjustable order picking tray



ELEVAH E5 MOVE PICKING

Ergonomic, compact and incredibly handy

SELF-PROPELLED UP TO THE MAXIMUM HEIGHT


- Maximum working height : 5.15 m
- Maximum platform height : 3.15 m
- Maximum capacity : 100 kg + 100 kg
- Moving and lifting at the same time
- Electronic tilt control system
- Platform size : 98 cm
- Width: 70 cm
- Turning radius : 0
- Foldable, electrically adjustable order picking tray



EN3691-1



Maximum
platform
height
4.15 m



OPTIONAL:

ELEVAH E5 T.FL

Picking machines to pick up the material from the ground

SELF-PROPELLED UP TO THE MAXIMUM HEIGHT

- Maximum working height : 5,15 m
- Maximum platform height : 3,15 m
- Maximum capacity : 100 kg + 120 kg
- Electronic tilt control system (E5 version)
- Platform size: 189 cm
- Width: 70 cm
- Turning radius : 0
- Electrical height adjustment of the picking tray
- Picking tray provided with rollers



EN3691-1



ELEVAH 40 T.FL
VERSION

SELF-PROPELLED ON THE GROUND



Farame

ELEVAH 65 - 80 MOVE PICKING

Picking machines for high shelves

SELF-PROPELLED UP TO THE MAXIMUM HEIGHT


- Maximum working height :
 - 65MP: 6.50 m
 - 80MP: 7.70 m
- Maximum capacity : 100kg + 100kg
- Moving and lifting at the same time
- Electronic tilt control system
- Platform size : 1280mm
- Width: 780mm
- Turning radius : 0
- Foldable, electrically adjustable order picking tray



EN3691-1



Maximum
platform
height
6.7 m



TARAONE

TIRES SERIES

The safest and most effective way to store tires.

Machines for lifting and storing a complete set of tires weighing up to 150 kg



ELEVAH 40 Tires

The evolution of the ladder for the tire industry

SELF-PROPELLED ON THE GROUND

- Max work height : 4 m
- Maximum platform height : 2 m
- Maximum capacity : 100 kg + 120 kg
- Platform size : 100 cm
- Width: 71,5 cm
- Turning radius : 0
- Electric loading system for a complete set of tires directly from the ground



EN3691-1



143 cm



Maximum
height with
raised basket
3 m



kg.
120



71.5 cm

178 cm

Faradone

ELEVAH E5 Tires

The practical, compact and indispensable machine for tire storage.

SELF-PROPELLED UP TO THE MAXIMUM HEIGHT


- Maximum working height : 5.15 m
- Maximum platform height : 3.15 m
- Maximum capacity : 100 kg + 120 kg
- Moving and lifting at the same time
- Electronic tilt control system
- Platform length : 172.5 cm
- Width: 70 cm
- Turning radius : 0
- Electric loading system for a complete set of tires directly from the ground



EN3691-1



26


Faraone®

ELEVAH 75 Tires

Maximum efficiency and productivity,
up to 6.3 m!

SELF-PROPELLED UP TO THE MAXIMUM HEIGHT

- Maximum working height : 7.6 m
- Maximum platform height : 5.7 m
- Maximum capacity : 100 kg + 150 kg
- Electronic tilt control system
- Moving and lifting at the same time
- Platform size : 208 cm
- Width: 78 cm
- Turning radius : 0
- Electric loading system for a complete set of tires directly from the ground
- System that allows horizontal placement and effortless storage of tyres (optional)



EN3691-1





Special machines for specific processes

Visit the section “special machines” on our website



Compact machine for the maintenance of Airbus engines





INCREASE SAFETY AND ERGONOMICS WITH ACCESSORIES

Picking machines



REDLIGHT1

Lateral signal lights



BLUESPOT

Frontal signal light



PEPP

Elements for the expansion of the picking tray



PMF

Element to lengthen the electric picking tray



E5CPT

Storage basket for picking tray, height 60 cm



SP.TFL

3 extractable protections for the picking platform




PFE.P

Frontal protection for electric picking tray



E5BLMA

Direction lock for castors



RL

Side rollers



Find all the accessories on elevah.com

Aereal platforms



E5ASP

Removable storage tray
cm 30x70 - Maximum
capacity 40 Kg



RADAR1

Frontal Anti-collision
Radar System



RADAR1B

Rear Anti-collision
Radar System



SCR

Loading system for ramps



BG

Batteries without maintenance
mod. 31 AGM 100 Ah (1 Kit)



LITHIUM BATTERIEN

Kit with 2 Trojan 12.8 Volt 110 A lithium
batteries + increased battery charger.



CA

Additional remote control for
loading on ramps



KEY ACC

Height limiter



AN-PR

Crushing
protection under
the basket



ELEVAH[®]

a brand of *Faraone*[®]

Faraone Industrie S.p.A.

Via San Giovanni, 20

64018 Tortoreto (Teramo) Italia

Tel. +39 086177 221

faraone.com

elevah.com



Contact :